

(12) United States Patent

Ray et al.

US 6,940,545 B1 (10) Patent No.:

(45) **Date of Patent:** Sep. 6, 2005

(54) FACE DETECTING CAMERA AND METHOD

Inventors: Lawrence A. Ray, Rochester, NY (US); Henry Nicponski, Albion, NY (US)

- (73)Assignee: Eastman Kodak Company, Rochester,
 - NY (US)
- (*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

- Appl. No.: 09/514,436
- Feb. 28, 2000 (22)Filed:
- Int. Cl.⁷ H04N 9/04; H04N 5/228; G06K 9/00; G06K 9/36
- (52)348/207.99; 382/118; 382/289
- 348/77, 268, 208.13, 208.14; 382/118, 116, 382/282, 289, 237, 170

(56)References Cited

U.S. PATENT DOCUMENTS

4,503,508	A	3/1985	Brooks et al.	
5,012,522	A	4/1991	Lambert	
5,086,480	A	2/1992	Sexton	
5,103,254	A	4/1992	Bell et al.	
5,164,992	A	11/1992	Turk et al.	
5,283,644	A	2/1994	Maeno	
5,430,809	A	7/1995	Tomitaka	
5,432,863	A	* 7/1995	Benati et al.	 382/167
5,432,864	A	7/1995	Lu et al.	

(Continued)

FOREIGN PATENT DOCUMENTS

JP 03144427 A * 6/1991 G03B 15/05

OTHER PUBLICATIONS

"Face Detection from Color Images Using a Fuzzy Pattern Matching Method" by Halyuan Wu et al.. IEEE Transactions on Pattern Analyssis and Machine Intelligence, vol. 21, No. 6, Jun. 1999.*

(Continued)

Primary Examiner—Tuan Ho Assistant Examiner—Lin Ye (74) Attorney, Agent, or Firm—David M. Woods; Pamela R. Crocker

ABSTRACT (57)

A method for determining the presence of a face from image data includes a face detection algorithm having two separate algorithmic steps: a first step of prescreening image data with a first component of the algorithm to find one or more face candidate regions of the image based on a comparison between facial shape models and facial probabilities assigned to image pixels within the region; and a second step of operating on the face candidate regions with a second component of the algorithm using a pattern matching technique to examine each face candidate region of the image and thereby confirm a facial presence in the region, whereby the combination of these components provides higher performance in terms of detection levels than either component individually. In a camera implementation, a digital camera includes an algorithm memory for storing an algorithm comprised of the aforementioned first and second components and an electronic processing section for processing the image data together with the algorithm for determining the presence of one or more faces in the scene. Facial data indicating the presence of faces may be used to control, e.g., exposure parameters of the capture of an image, or to produce processed image data that relates, e.g., color balance, to the presence of faces in the image, or the facial data may be stored together with the image data on a storage medium.

38 Claims, 15 Drawing Sheets

